

Wired Optical Mouse

USER'S MANUAL



RX-500 SILENT

www.sven.fi

RX-500 SILENT

Congratulations on purchasing the SVEN mouse!

Please read this User's Manual before using the unit and retain this User's Manual in a safe place for future reference.

COPYRIGHT

© 2014. SVEN PTE. LTD. Version 1.0 (V 1.0).

This User's Manual and information contained in it are copyrighted. All rights reserved

TRADEMARKS

All trademarks are the property of their legal holders.

NOTICE OF RESPONSIBILITY RESTRICTION

Despite the exerted efforts to make this Manual more exact, some discrepancies may occur. The information in this Manual is given on "as is" terms. The author and the publisher do not bear any liability to a person or an organization for loss or damage which has arisen from the information contained in this Manual.

CONTENTS	
RUS	1
UKR	4
ENG	8
1. SAFETY PRECAUTIONS	10
2. PACKAGE CONTENTS	10
3. SPECIAL FEATURES	10
4. SYSTEM REQUIREMENTS	10
5. CONNECTION AND INSTALLATION	10
6. TROUBLESHOOTING	11
7. TECHNICAL SPECIFICATIONS	11

Technical support: www.sven.fi



Wired Optical Mouse

1. SAFETY PRECAUSIONS

- · Protect your mouse from high humidity, dust or high temperatures.
- Do not use gasoline, spirit or other dissolvents for cleaning. This may cause damage of the surface. Clean the outside of the camera with soft cloth.
 - Do not attempt to disassemble or repair your device.
- Protect the device against powerful shocks and falls they may damage the internal electronics.

2. PACKAGE CONTENTS

- Wired Optical Mouse 1 pc
- User's manual 1 pc
- Warranty card 1 pc

3. SPECIAL FEATURES

- · Designed specifically for laptop use
- Resolution switch 800/1600 dpi
- · Comfortable scroll wheel
- Noiseless buttons
- Cable length 1.5 m

4. SYSTEM REQUIREMENTS

- Windows XP/Vista/7/8, MacOS 10.4 or higher, Linux
- · Free USB port

5. CONNECTION AND INSTALLATION

- . Connect the mouse to an available USB port of your PC.
- Installation of the mouse is automatic after its connection to a USB port.
- In addition to left and right buttons, the mouse also has a scroll wheel combined with the third button. The scroll wheel allows to look through and turn pages of documents in Windows OS.

RX-500 SILENT

6. TROUBLESHOOTING

Problem	Solution
The mouse is not working.	Disconnect the mouse from your PC and check the connector pins for possible damage. If there is no external damage found and the connector pins are OK, connect the mouse to your PC again. Address your nearest authorized service center.

If none of the above mentioned solutions removes the problem, please consult your nearest authorized service center. Never try to repair the device on your own.

7. TECHNICAL SPECIFICATIONS

Parameter, measurement unit	Value
OS required	Windows XP/Vista/7/8 or higher, MacOS 10.4
	or higher, Linux
Type of mouse	Optical
Resolution, dpi	800/1600
Q-ty of buttons	3 + 1 (scroll wheel)
Interface	USB
Dimensions, mm	58.5 × 89.5 × 35.7
Weight, g	75.5

Notes:

- Technical specifications given in this table are supplemental information and cannot give occasion to claims.
- Technical specifications are subject to change without notice due to improvement of SVEN production.

Wired Optical Mouse





Модель: RX-500 Silent

Импортер в России: ООО «СКАНДИТРЕЛ», 111024, РФ, г. Москва, ул. Авиамоторная, д. 65, стр. 1. Уполномоченная организация в России: ООО «РТ-Ф», 105082, г. Москва, ул. Фридриха Энгельса, л. 75, стр. 5.

Условия гарантийного обслуживания смотрите в гарантийном талоне или на сайте www.xven.fi. Гарантийный срок: 12 мее. Срок службы: 2 года. Производитель: «СВЕН ПТЕ. Лимитед», 176 Джу Чиат Роуд, № 02-02, Сингапур, 427447. Произведено под контролем «Свен Скандинавия

176 Джу Чиат Роуд, № 02-02, Сингапур, 427447. Произведено под контролем «Свен Скандинавия Лимитед», 48310, Финляндия, Котка, Котолахдентие, 15. Сделано в Китае.

Manufacturer: SVEN PTE. LTD., 176 Joo Chiat Road, № 02-02, Singapore, 427447. Produced under the control of Oy Sven Scandinavia Ltd. 15, Kotolahdentie, Kotka, Finland, 48310. Made in China.

Registered Trademark of Oy SVEN
Scandinavia I td. Finland

RX-500 SILENT