

USER'S MANUAL



RX-G930

www.sven.fi



Congratulations on your purchase of the Sven mouse!

Please read this Operation Manual before using the unit and retain this Operation Manual in a safe place for future reference.

COPYRIGHT

© 2016. SVEN PTE. LTD. Version 1.0 (V 1.0).

This Manual and information contained in it are copyrighted. All rights reserved.

TRADEMARKS

All trademarks are the property of their legal holders.

NOTICE OF RESPONSIBILITY RESTRICTION

Despite the exerted efforts to make this Manual more exact, some discrepancies may occur. The information of this Manual is given on "as is" terms. The author and the publisher do not bear any liability to a person or an organization for loss or damages which have arisen from the information contained in the given Manual.

SPECIAL FEATURES

- Soft Touch
- · Variable highlight of the mouse
- 5 + 1 (scroll wheel) buttons
- Two additional navigation buttons (Forward and Back)
- DPI resolution switch

RX-G930

SYSTEM REQUIREMENTS

- Windows XP/Vista/7/8/10
- Free USB port

DESCRIPTION

- 1 Left button
- Right button
- (3) Scroll Wheel
- (4) DPI Switch
- ⑤ Forward navigation button
- Back navigation button

Backlight color changes when pressing DPI switch button. To switch backligh off you should press ® «Forward» or ® «Back» button together with ④ DPI Switch.




Fig. 1. Top view

INSTALLATION

- Connect the mouse to an available USB port of your PC.
- Installation of the mouse is automatic after its connection to a PC USB port.



TROUBLESHOOTING

Problem	Solution
The mouse is not working.	Disconnect the mouse from the PC and check connector pins for possible damage. If there is no external damage found and connector pins are OK, connect the mouse to the PC. Contact your nearest authorized service center.

TECHNICAL SPECIFICATIONS

Parameter, measurement unit	Value
OS required	Windows XP/Vista/7/8/10
Type of mouse	optical
Resolution, dpi	600/1000/1400/1600
Q-ty of buttons	5 + 1 (scroll wheel)
Interface	USB
Conformity with	FCC, CE
Cable length, m	1.5
Dimensions, mm	130 × 72 × 40
Weight, g	130

Notes:

- Technical specifications given in this table are supplemental information and cannot give occasion to claims.
- Technical specifications are subject to change without notice due to the improvement of SVEN production.

Technical support is on www.sven.fi.





Model: RX-G930

Импортер в России: ООО «РЕГАРД», 109052, РФ, г. Москва, ул. Нижегородская, д. 86, корп. Б. Уполномоченная организация в России: ООО «РТ-Ф», 105082, г. Москва, ул. Фридриха Энгельса, д. 75, стр. 5.

Условия гарантийного обслуживания смотрите в гарантийном талоне или на сайте www.sven.fi. Гарантийный срок: 12 мес. Срок службы: 2 года. Производитель: «СВЕН ПТЕ. Лимитед», 176 Джу Чиат Роуд, № 02-02, Сингапур, 427447. Произведено под контролем «Свен Скандинавия Лимитед», 48310, Финляндия, Котка, Котолахдентие. 15. Сделано в Китае.

Manufacturer: SVEN PTE. LTD, 176 Joo Chiat Road, № 02-02, Singapore, 427447. Produced under the control of Oy Sven Scandinavia Ltd. 15, Kotolahdentie. Kotka. Finland. 48310. Made in China.

® Registered Trademark of Oy SVEN Scandinavia Ltd. Finland.

